

# **GORE® Portable Electronic Vents**

FOR ACOUSTICS – DUST AND SPLASH APPLICATIONS





# **GORE® Portable Electronic Vents**

FOR ACOUSTICS – DUST AND SPLASH APPLICATIONS



Today's portable electronic devices need to stand up to dust and splash hazards that go way beyond commonly used IP standards; which is why Gore testing goes way beyond them too.

#### **Real world hazards**



IP6x blocks large (>50 μm) particles



IP6x admits small (1-10 μm) particles

IP6x, for example, covers particulates but not things like smog, fumes, tobacco smoke and dust that can be under 10µm. Likewise, while IPx4 splash testing offers a pass/fail result against fluids, it does nothing to evaluate how different venting materials or housing design might improve the outcome.

Our venting materials are tested and qualified to perform to these standards, but also to additional protocols developed by our engineers that better reflect real-world conditions — in both assembled devices and during the design and development process itself.

# **Particulate Testing – The Gore Way**

IP6x defines "dust tight" as no ingress of particles. The Gore test evaluates how our vents protect against ALL common sizes of indoor and outdoor particulates, with a focus on particles between 1-10 $\mu$ m – a size range common in environments where mobile electronics are used.

**Dust** 

GORE® Acoustic Vents block contaminants the IP6x rating does not even address

Type of particle


### Pore size only tells half the story

Woven materials have a uniform pore size, so they will block any spherical particle of that size or larger. But there are two issues with that:

First, as the blocked particles accumulate on the woven surface, they can block airflow and reduce venting effectiveness.


Second, non-spherical particles like human hair or metal fibers may be classified as "larger than" a specified pore size...yet they can pass through pores of that size, due to their narrow shapes.

GORE® Acoustic Vents use non-woven membrane materials. They have a three-dimensional tortuous path structure, so they can capture particles of varied shapes and sizes. And, this structure also means these particles are captured in a way that is more likely to maintain consistent airflow.



**Bacteria** 

Woven material captures particles equal to or greater than its specified pore size.



Non-woven material captures particles of varying size and shape because of its tortuous path structure.

# The untold story: magnetic attraction


Typically, speakers and receivers are more vulnerable than other components. Because they include a permanent magnet, they generate magnetic fields that attract metal particles.

In a speaker with a woven vent material, these particles can be drawn in by, and settle on top of the speaker magnet. As these particles accumulate, their increasing mass and weight inhibits the diaphragm from producing high levels of sound pressure...significantly degrading acoustic quality.


Non-woven GORE® Acoustic Vents, with higher particle-capture efficiency, protect against this type of acoustic degradation, to enhance both speaker longevity and device reliability.

How significant is this? If the sound pressure level drops by half...the acoustic loss can be as great as 6dB and this type of acoustic loss is irreversible. That's why it's critical to use a GORE® Acoustic Vent to block ingress of these metal particles in the first place.

#### **Speaker Module With Woven Vent Material**



Speaker Module With Non-Woven GORE® Acoustic Vent



## **Splash Testing – The Gore Way**

Gore engineers developed a rigorous "moving showerhead" test that increases the likelihood of water directly splashing on device openings... as would happen under real-world conditions. For devices designed to have openings near the transducers, this test can help to predict how well such devices will function and maintain sound quality, in the consumer's hands.

Using these Gore protocols, design engineers can now evaluate potential housing solutions during the development process, instead of after the device has been completed and assembled.

Finally, every GORE® Acoustic Vent provides oleophobic protection. So they help keep your device protected, whether it's splashed by water or by low surface-tension liquids such as soapy water.

# Improve Protection and Acoustics with Gore


Gore technology combines reliable dust and splash protection with uncompromising sound quality.

Our years of expertise in acoustic applications, as well as our membrane technology that maintains sound-wave integrity, enable Gore to deliver a reliable combination of ingress protection with high-quality acoustics for portable electronic devices.


## **Product Information: Series GAW111 and GAW112 - For Dust and Splash Applications**

Characteristics/ Performance	Series GAW111	Series GAW112		
IP rating (IED 529, 2nd) <sup>a</sup>	IP4x	IP4x, IP6x		
Comparative water spray efficiency	60%	75%		
Average acoustic impedance mpedance from 200–5000 Hz, per ASTM 1050, modified)	45 rayls MKS	105 rayls MKS		
Maximum transmission loss (max value 200–5000 Hz, per ASTM WK5285)	< 1 dB	< 2 dB		
Material type & color	Cellulose/PET-Nonwoven & dark gray			
Material characteristic	Oleophobic			
Reference thickness <sup>c</sup>	0.18 mm	0.24 mm		
Recommended part orientation	Mount on interior of housing			
Adhesive temperature range	-40°C to 70°C			
Adhesive type	Acrylic			
RoHS <sup>d</sup>	Meets threshold requirements			

#### **Part Cross-Section**



### **Round Part Design**



#### **Standard Parts: Series GAW112**

Transducer Type	Dimension (mm)		Part Number	
	Inner	Outer	Fait Number	
Round Microphone	3.0	8.0	GAW1120308	
	5.0	9.4	GAW1120509	
Round Speaker	6.4	12.7	GAW1120613	
	9.0	19.0	GAW1120919	
	12.7	25.4	GAW1121325	
	20.0	29.0	GAW1122029	

- ${\bf a}\,$  IP ratings depend on the design of the product housing.
- Per Gore Water Spray-001: Direct stream at 70ml/min at 10psi;
  60% efficiency represents open condition.
- c Nominal aggregate thickness of adhesive and PET nonwoven layers. Actual thickness may vary due to the compressibility of materials.
- d To the best of our knowledge, the parts listed above do not have any restricted substances above the maximum concentration values listed in RoHS Directive 2011/65/EU. This information is based on our current level of knowledge and does not constitute a representation or warranty beyond those contained in our standard terms and conditions.

# **Custom Part Designs: Series GAW111 and GAW112**

Gore engineers can assist in designing an application-specific solution around your requirements for part size, adhesive and performance characteristics. Ask your Gore representative for more information.

Visit gore.com/portableelectronics for the detailed Installation and Handling Guidelines for GORE® Acoustic Vents.

## **About Gore**

W. L. Gore & Associates is a global materials science company dedicated to transforming industries and improving lives. Since 1958, Gore has solved complex technical challenges in demanding environments — from outer space to the world's highest peaks to the inner workings of the human body. With more than 10,500 Associates and a strong, team-oriented culture, Gore generates annual revenues of \$3.7 billion.

## **GORE® Portable Electronic Vents**

Gore is the global leader in venting solutions for portable electronic consumer devices. Our acoustic and pressure venting technology provides our customers with optimal venting solutions, balancing the tradeoffs amongst problems such as adverse operating environments, immersion events, acoustic performance, space constraints, device assembly challenges and cost. Furthermore, our acoustic modelling capabilities enables our customers to accelerate the development of robust acoustic solutions, while our resilient and agile global supply chain enables us to support the largest programs and provide the fastest ramps.

#### **Contact Us**

Australia

For additional assistance, please contact a Gore representative.

#### INTERNATIONAL CONTACTS

161 2 0/73 6800

Australia	+01 2 94/ 3 0000	MEXICO	+32 01 0200 1203
Benelux	+49 89 4612 2211	Scandinavia	+46 31 706 7800
China	+86 21 5172 8299	Singapore	+65 6733 2882
France	+33 1 5695 6565	South America	+55 11 5502 7800
Germany	+49 89 4612 2211	Spain	+34 93 480 6900
India	+91 22 6768 7000	Taiwan	+886 2 2173 7799
Italy	+39 045 6209 240	<b>United Kingdom</b>	+44 1506 460123
Japan	+81 3 6746 2570	USA	+1 410 506 7812
Korea	+82 2 393 3411		

W. L. Gore & Associates, Inc

401 Airport Road • Elkton, MD 219221 • USA Phone: +1 410 506 7812 (USA) • Toll free: +1 800 523 4673

Fax: +1 410 506 7812 (USA) • 1011 free: +1 800 523 4673 Fax: +1 410 506 8749 • Email: portableelectronics@wlgore.com

gore.com/portableelectronics

FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic or medical device manufacturing, processing, or packaging operations.

All technical information and advice given here is based on Gore's previous experiences and/or test results. Gore gives this information to the best of its knowledge, but assumes no legal responsibility. Customers are asked to check the suitability and usability in the specific application, since the performance of the product can only be judged when all necessary operating data are available. The above information is subject to change and is not to be used for specification purposes.

Gore's terms and conditions of sale apply to the sale of the products by Gore. GORE and designs are trademarks of W. L. Gore & Associates



PEV-118-R2-DSH-US-AUG19