



# Sealant Technologies

*For Fluid Sealing and Transport*



# GORE TECHNOLOGY

SOLVING THE MOST CHALLENGING SEALING PROBLEMS.



*For nearly 40 years, Gore's Sealant Technologies Group has developed innovative PTFE gaskets, seals and other fluid-sealing products designed to meet both standard and unique sealing and pumping applications.*



## Fluid Sealing Leadership

For nearly 40 years, the Sealant Technologies Group of W. L. Gore & Associates, Inc. has fostered a solid knowledge of factors that influence the sealing of piping systems, vessels, pumps and valves. Our singular focus has resulted in the development of innovative and top-performing gaskets, seals and other fluid-handling products. We've also established a comprehensive technical services program, specially designed to help customers determine the best solutions for their toughest sealing applications.


## Products that Seal

Because of its unique combination of properties, GORE® expanded PTFE virtually eliminates the drawbacks of conventional PTFE sealing and fluid handling products. Our gasket configurations provide solutions for flanges that are fragile, warped or misaligned. We also enable users to standardize one gasket material across a wide range of process piping systems. Our packings are the highest-performing, most universal products on the market today.

## Global Company ... Global Commitment

We're a creative technology company employing more than 9,000 associates, in more than 30 countries around the world. Working in a distinctive company culture that encourages innovation, commitment and communication, Gore engineers have created thousands of patented and proprietary inventions. Each product is designed to be the best-performing, highest-quality product solution in its class.

# APPLICATIONS



**KEY**


- A** GORE® Universal Pipe Gasket
- B** GORE® GR Sheet Gasketing
- C** GORE® Joint Sealant\*
- D** GORE® Series 300 Gasket Tape

- E** GORE® Series 600 Gasket Tape
- F** GORE® Gasket Tape\*
- G** GORE® GFO® Packing\*
- H** GORE® Valve Stem Packing\*

\* FOR INDUSTRIAL USE ONLY.  
Not for use in food, drug, cosmetic or medical device manufacturing, processing, or packaging operations.

# GORE GASKETING

*Whether it's a standard piping or vessel application, or a difficult and unusual sealing problem, chances are one of Gore's gasketing products can provide a highly effective solution.*



## Most Reliable Seal

Gore sealants are among the world's tightest, most reliable and chemically resistant gaskets. They withstand temperatures from  $-450^{\circ}\text{F}$  to  $+600^{\circ}\text{F}$  ( $-268^{\circ}\text{C}$  to  $+315^{\circ}\text{C}$ ), making them ideal for high-temperature as well as cryogenic applications. And they are resistant to the most challenging chemicals.


Our gaskets are proven effective against every performance measure. They seal at low bolt loads, conform to flange deviations, exhibit high dimensional stability, resist creep and cold flow, and are highly resistant to blowout.

Gore gaskets are designed to meet the many needs of process piping materials, making them ideal for lowering total sealing system costs. They solve special sealing problems, and provide the ability to standardize with one gasket material across steel, glass-lined and FRP systems wherever non-metallic gaskets are used.



## GORE® UNIVERSAL PIPE GASKET (STYLE 800)

A



Finally, a universal gasket for all standard flanges on chemical process piping. Designed to meet the needs of different piping materials, it is ideal for standardizing across steel, glass-lined steel, and fiber-reinforced plastic (FRP) systems. It delivers long-life performance, lowers total system sealing costs and simplifies inventory stocking requirements, while also protecting against the use of the wrong gasket.

## GORE® SERIES 300 GASKET TAPE

D



Multidirectionally expanded PTFE gasket tape for large-diameter steel piping and equipment. It can be formed quickly, installs easily around shaft assemblies, and reduces expensive material scrap. Because it is customized at installation, it eliminates long lead times and minimizes gasket inventories. With superior sealing reliability and longer life, this chemical-resistant tape reduces overall sealing costs.

## GORE® GR SHEET GASKETING

B



Unmatched in sealing reliability, this unique product is ideal for sealing steel pipe and equipment flanges across a range of aggressive fluids. Gain the benefits of PTFE gasketing without the problems of creep and cold flow – along with a level of high-temperature and blowout resistance that is superior to any other PTFE sheet gasket. Highly conformable, it compresses into an extremely tough gasket that seals tight, even on irregular flanges.

## GORE® SERIES 600 GASKET TAPE

E



A form-in-place gasket for glass-lined equipment that guards against premature gasket failure. Unlike PTFE envelope gaskets, it won't degrade due to chemical attack, ensuring a tight, long-lasting seal. Made from 100% multi-directionally expanded PTFE, the entire gasket is chemically inert. It conforms to common glass-lined flange imperfections, yet maintains dimensional stability. Plus, installation is quick, easy and lower cost.

## GORE® JOINT SEALANT\*

C



The original form-in-place gasketing, it's the most versatile and cost-effective alternative to sheet gasketing for large equipment flanges. Ideal for sealing complex surfaces, it conforms extremely well to rough or pitted surfaces. It's easy to install, too: just peel off the backing, apply to the surface, and overlap the ends for a remarkably tight seal.

## GORE® GASKET TAPE\*

F



This versatile, thin-profile, form-in-place gasketing features a full-face strip-type construction under 2 inches (50.8 mm) wide for smooth, flat, rectangular sealing surfaces or for narrow sealing surfaces. It compresses easily to an extremely thin profile, while requiring only minimal compression to seal. Because of its easy installation and removal, it is ideal for equipment with tight tolerances.

\* FOR INDUSTRIAL USE ONLY.


Not for use in food, drug, cosmetic or medical device manufacturing, processing, or packaging operations.



# GASKETING PRODUCT SELECTION GUIDE



## STEP 1:

Verify that the Application meets GORE® Gasketing Qualifications



## STEP 2:

Narrow the selection of GORE® Gasketing Products for the Application




► For other flange materials, please contact your Gore representative.

# GORE® FIBER PACKING



*Pack It and Forget It.™*



## Proven High Performance

You will benefit from a full line of high-performance compression packings. These materials are chemically inert, highly abrasion-resistant, plus they're able to withstand temperatures up to 550°F (288°C). Extremely long-lasting, they guard against unexpected packing failure and help reduce plant downtime.

## Seal of Assurance


With a 30+ year history of trouble-free performance, 100% GORE® GFO® fiber packing delivers an unmatched level of assurance and confidence. It's the only packing material that performs so well, its name is printed right on the packing. That's your only genuine reassurance that your packing works and performs ... and will keep on working and performing.

\* FOR INDUSTRIAL USE ONLY.

Not for use in food, drug, cosmetic or medical device manufacturing, processing, or packaging operations.

## GORE® GFO® PACKING\*

G



Incomparable compression pump packing that outlasts virtually any other packing it replaces. Easy to install and remove, it never gets hard or brittle. It dissipates frictional heat and runs cool, even after extended periods of continuous operation. It saves money and labor, including downtime from repacking pumps or resurfacing shafts. Look for the GFO® name printed right on the packing for the confidence that the product will work every time.

## GORE® VALVE STEM PACKING\*

H



A pliable, self-lubricating packing that eliminates stem wear and lasts longer. This continuous-length packing is easy to install and forms a cohesive cylinder when compressed, eliminating the need to cut and form rings.



# Sealant Technologies

[www.gore.com/sealants](http://www.gore.com/sealants)

Visit our web site for more information on sealant technologies. You'll find important information on Gore's sealing products, technical specifications, recommended applications and usage guidelines. You may also contact our technical specialists about your specific sealing challenges, or to locate a Gore authorized distributor in your area.

#### Argentina

**W. L. GORE & ASSOCIATES (ARG.) S.R.L.**  
Salta 331  
C. P. 5000 Córdoba  
Argentina  
Tel.: +54 351 4217279  
Fax: +54 351 4217281  
[sellados@wlgore.com](mailto:sellados@wlgore.com)

#### Australia

**W. L. GORE & ASSOCIATES PTY LTD.**  
13 Narabang Way  
Belrose, NSW 2085  
Tel.: +61/2-9473-6800  
Fax: +61/2-9450-1246  
[sealants\\_AP@wlgore.com](mailto:sealants_AP@wlgore.com)

#### Brazil

**W. L. GORE & ASSOCIATES DO BRASIL LTDA**  
Edifício Bolsa de Imóveis de São Paulo  
Av. das Nações Unidas, 11.541 - CJ52  
Brooklin Paulista  
São Paulo - SP  
Tel.: + (55 11) 5502-7800  
Fax: + (55 11) 5502-7801  
[vedacoes@wlgore.com](mailto:vedacoes@wlgore.com)

#### China

**GORE INDUSTRIAL PRODUCTS TRADE CO., LTD.**  
Room 43F, United Plaza  
1468 Nanjing Road West  
Shanghai 200040  
Tel.: + (8621) 5172 8299  
Fax: + (8621) 6247 9199  
[sealants\\_AP@wlgore.com](mailto:sealants_AP@wlgore.com)

#### France

**W. L. GORE & ASSOCIÉS**  
Bercy International  
20, Place des Vins De France  
75603 Paris Cédex 12, France  
Tel.: +33 1 56 95 65 65  
Fax: +33 1 56 65 64 02  
[IPDFrance@wlgore.com](mailto:IPDFrance@wlgore.com)

#### Germany

**W. L. GORE & ASSOCIATES GMBH**  
Wernher-Von Braun-Strasse 18  
D-85640 Putzbrunn  
Tel.: +49 89 4612-2215  
Fax: +49 89 4612-43780  
[sealants\\_EU@wlgore.com](mailto:sealants_EU@wlgore.com)

#### Hong Kong

**W. L. GORE & ASSOCIATES (HK) LTD.**  
12/F, Tower 2, Grand Century Place  
193 Prince Edward Road West  
Mongkok, Kowloon  
Hong Kong  
Tel.: (852) 2622 9622  
Fax: (852) 2622 9898

#### India

**W. L. GORE & ASSOCIATES (PACIFIC) PTE LTD.**  
802, A-Wing  
215 ATRIUM  
Andheri- Kurla Road  
Chakala, Andheri (East)  
Mumbai - 400 059  
Tel.: 91-22-67687000  
Fax: 91-22-66919228

#### Italy

**W. L. GORE & ASSOCIATI, S.R.L.**  
Via Enrico Fermi, 2/4  
37135 Verona - VR  
Tel.: +39 (045) 6 20 92 50  
Fax: +39 (045) 6 20 91 65  
[ItalySealant@wlgore.com](mailto:ItalySealant@wlgore.com)

#### Japan

**NIHON GORE KABUSHIKI KAISHA (BUSINESS OPERATIONS CENTER)**  
14F, W Building 1-8-15 Konan  
Minato-ku, Tokyo  
108-0075 JAPAN  
Tel.: +81 3 6746 2600  
Fax: +81 3 6746 2615

#### Korea

**W. L. GORE & ASSOCIATES, (KOREA) LTD.**  
12F Chong Kun Dang Building  
368, Chungjungro-3KA  
Sudaemoon-Ku  
Seoul 120-756 Korea  
Phone: 82/2 393-3411  
Fax: 82/2 393-1285  
[sealants\\_AP@wlgore.com](mailto:sealants_AP@wlgore.com)

#### Netherlands

**W. L. GORE & ASSOCIATES B.V.**  
Ringbaan Oost 152-A  
5013 CE Tilburg  
Tel.: +31 (0) 13 507 47 00  
Fax: +31 (0) 13 543 87 36  
[sealants\\_EU@wlgore.com](mailto:sealants_EU@wlgore.com)

#### Poland

**W. L. GORE & ASSOCIATES POLSKA SP. Z. O. O.**  
ul. Migdalowa 4  
PL-02-796 Warszawa  
Tel.: +48 (22) 6 45 15 37  
Fax: +48 (22) 6 45 15 40  
[ipd-poland@wlgore.com](mailto:ipd-poland@wlgore.com)

#### Scandinavia

**W. L. GORE & ASSOCIATES Scandinavia AB**  
Box 268  
Visiting address: Neogatan 9  
43123 Mölndal, Sweden  
Tel.: +46 (0) 31 706 78 00  
Fax: +46 (0) 31 86 42 26  
[ipd\\_scandinavia@wlgore.com](mailto:ipd_scandinavia@wlgore.com)

#### Singapore

**W. L. GORE & ASSOCIATES (PACIFIC) PTE, LTD.**  
83, Clemenceau Ave.  
#17-01 UE Square  
Singapore 239920  
Tel.: +65 6733 2882  
Fax: +65 6836 8228  
[sealants\\_AP@wlgore.com](mailto:sealants_AP@wlgore.com)

#### South Africa

**W. L. GORE & ASSOCIATES (SA)(PTY) LTD.**  
P.O. Box 3978, Kempton Park 1620  
Tel.: +11 27 11 894 2248  
Fax: +11 27 11 894 2296  
[sealants\\_EU@wlgore.com](mailto:sealants_EU@wlgore.com)

#### Spain

**W. L. GORE Y ASOCIADOS, S.L.**  
Vallespir, 24, 2  
Polígono Fontsa  
08970 Sant Joan Despí-Barcelona  
Tel.: +34 (93) 4 80 69 00  
Fax: +34 (93) 3 73 78 50  
[ipdspain@wlgore.com](mailto:ipdspain@wlgore.com)

#### United Arab Emirates

**W. L. GORE & ASSOCIATES GMBH MIDDLE EAST - ABU DHABI**  
P.O. Box 11 44 70  
Al Niyadi Bldg, 9th floor, office 903  
Airport Road  
Abu Dhabi  
Tel.: +971 2 4437749  
Fax: +971 2 4437748  
[sealants\\_EU@wlgore.com](mailto:sealants_EU@wlgore.com)

#### United Kingdom

**W. L. GORE & ASSOCIATES (UK)**  
Kirkton South Road  
Kirkton Campus  
Livingston, West Lothian EH54 7BT  
Tel.: +44 1506 46 01 23  
Fax: +44 1506 46 22 70  
[sealants\\_EU@wlgore.com](mailto:sealants_EU@wlgore.com)

GFO, Pack It and Forget It, GORE and designs are trademarks of W. L. Gore & Associates, Inc. ©2011 W. L. Gore & Associates, Inc.

#### W. L. GORE & ASSOCIATES, INC.

201 Airport Road • P. O. Box 1488 • Elkton, MD 21922-1488 • USA  
Phone: +1 410-392-3200 • Fax: +1 410-392-4817

E-mail: [sealants@wlgore.com](mailto:sealants@wlgore.com)

[gore.com/sealants](http://gore.com/sealants)

