

CONSTRUCTION:

- A. SHIELDED TWISTED PAIR (4 PLACES)
 - CONDUCTOR: AWG 24(19 / 36) SPC (2 PLACES)
 - INSULATION: PTFE OVER ePTFE (2 PLACES)
 - (0.060) DIAMETER
 - COLORS: BU x WH/BU, OR x WH/OR,
 - GN x WH/GN, BN x WH/BN
- PAIR SHIELD: ALUMINIZED POLYIMIDE
(ALUMINUM OUT)
- B. OVERALL SHIELD: AWG 40(1) SPC BRAID
92% MINIMUM COVERAGE
- C. OVERALL JACKET: WHITE LASER MARKABLE EF100
(0.004) WALL
- D. FILLER: ePTFE OVER FEP (0.048) DIAMETER (1 PLACE)


ELECTRICAL REQUIREMENTS:

- 1. IMPEDANCE: $100^{+10}_{-5} \Omega$ MEASURED DIFFERENTIALLY
- 2. TIME DELAY: (1.24) nSEC / FT
- 3. CAPACITANCE: (12.5) pf / FT
- 4. MAXIMUM ATTENUATION: 5.9 dB / 80 METERS @ 10 MHz
19.1 dB / 80 METERS @ 100 MHz
27.6 dB / 80 METERS @ 200 MHz
31.1 dB / 80 METERS @ 250 MHz
45.3 dB / 80 METERS @ 500 MHz
- 5. NEXT (MAXIMUM): 74.3 dB @ 1 MHz
59.2 dB @ 10 MHz
52.3 dB @ 100 MHz
47.9 dB @ 250 MHz
42.2 dB @ 500 MHz

NOTES:

- 1. LASER MARK CABLE WITH PART NUMBER RCN9034-24 AND CAGE CODE
- 2. OPERATING TEMPERATURE: -65° C TO +200° C
- 3. WEIGHT: 42 LBS / 1000 FT NOMINAL
45 LBS / 1000 FT MAXIMUM
- 4. ELECTRICAL CHARACTERISTICS TO BE TESTED AT INDICATED LENGTH
- 5. MINIMUM SHIP LENGTH IS 30 METERS
- 6. THIS CABLE MEETS TIA-568-C.2 SECTION 6.4 AS APPLICABLE
CATEGORY 6A REQUIREMENT UP TO 80 METERS

REVISIONS			
Rev	Description	Date	Chg'd By
A	Initial Release EM2 SPEC - 11969 T.Sharp	29 OCT 2015	DED
B	EM2 ECO - 10902 A.Battipaglia	18 MAY 2022	DED
C	EM2 ECO - 10954 A.Battipaglia	03 FEB 2023	DED



Valid only at time of printing

PAREN THESE DENOTE REFERENCE DIMENSIONS		UNLESS OTHERWISE SPECIFIED	
DIMENSIONS ARE IN INCHES			
DO NOT SCALE DRAWING	.XX ± N/A		
GEOMETRIC SHARP CORNERS	.XXX ± N/A		
	.XXXX ± N/A		
	FRACTIONS ± N/A		
	ANGLES ± N/A		
Third Angle Projection			
INTERPRET DIMENSIONS IN ACCORDANCE WITH ASME Y14.5M-2018 (REV2019)	SURFACE TEXTURE N/A		
	BREAK SLANT FILLETS N/A MAX		

W. L. GORE & ASSOCIATES, INC. (Gore) Performance Solutions Division 101 Lewisville Road, Elkton, MD 21921 410 / 392-9300 © 2014, 2022 W. L. Gore & Associates, Inc.			
By acceptance of this document you agree that all rights to drawings, specifications, processes and other data contained herein, as well as the proprietary and non-replicable, trade secret matter, are reserved by Gore and are disclosed in confidence. They are not to be reprinted, copied, sold or disclosed to others, nor are they to be embodied in any features or information derived from them or disclosed to any third party, unless and only as expressly permitted by Gore. These drawings, specifications, processes, etc. are the property of Gore and are not to be copied or reproduced without its prior permission, and are to be returned upon request thereof.			
Title: AWG 2419 HIGH SPEED ETHERNET CABLE			
Drawn	Sheet	Scale	Associated Documents
DED	1 of 1	20:1	N/A
Rev	Date	Drawn	29 OCT 2015
B	03 FEB 2023	DED	
Drawing Number		Rev Level	
RCN9034-24		C	